



## AMALFI "C"

Modular electric oven for pizza

COMPOSITION WITH 3 BAKING CHAMBERS



### EXTERNAL CONSTRUCTION

- Structure in shaped stainless steel plate
- Side panels in pre-painted sheet metal
- Stainless steel hood with aluminised steel top cover
- Front vapour collection hood in enameled steel sheet
- Steam duct in stainless steel plate
- Stainless steel door with bottom hinge and spring balance
- Tempered glass element
- Handles in thermoplastic material
- Control panel on front right hand side

### INTERNAL CONSTRUCTION

- Refractory brick cooking surface
- Refractory brick top and side structure
- Rock wool heat insulation

### OPERATION

- Heating by means of spiral heating elements
- Electronic temperature management with independent adjustment of ceiling and floor
- Maximum temperature reached 450°C
- Continuous temperature monitoring with thermocouple
- Vapour ducting using manual butterfly valve

### STANDARD EQUIPMENT

- Lighting with incandescent lamp
- Timer
- Economiser
- Independent maximum temperature safety device
- 20 customisable programs

### OPTIONS AND ACCESSORIES (WITH SURCHARGE)

- Leavening compartment with wheels, height 800 mm
- Support with wheels, height 600 mm
- Support with wheels, height 800 mm
- Support with wheels, height 950 mm
- Additional tray holder guides for compartment and support
- Spacer element height 300 mm
- Suction hood

### (WITHOUT SURCHARGE)

- Front vapour collection hood in stainless steel sheet



**MORETTI FORNI S.P.A.**

www.morettiforni.com

e-mail: marketing@morettiforni.com


Via A.Meucci, 4 - 61037 Mondolfo (PU) ITALIA

Tel. +39.0721.96161 - Fax +39.0721.9616299


## AMALFI "C" 3 CHAMBERS

(assembled with support height 600 mm)


TOP VIEW



REAR VIEW



VIEW FROM RIGHT



**Note:** The dimensions indicated in the views are in millimetres.

### SPECIFICATIONS

The appliance comprises three independent cooking elements and an optional leavening compartment or support. The oven cooking surface is made of refractory material that provides perfectly even heat distribution over the whole surface, making this oven particularly suitable to cook pizza, either directly on the surface or in trays. Temperature adjustment is electronic, with independent control of the ceiling and floor heating elements. The oven door is hinged at the bottom, with a tempered glass window to check the state of the product while it is cooking. The support comprises a painted metal structure, whereas the leavening compartment has a stainless steel structure and is fitted with a heating thermostat. The leavening compartment can reach a maximum temperature of 65°C, whereas the maximum temperature of the baking chamber is 450°C.

All the data provided below refer to the configuration with 3 baking chambers

### DIMENSIONS

External height	1550 mm
External depth	1651 mm
External width	1320 mm
Weight (excluding support)	693 kg
Total baking surface	3 m <sup>2</sup>

### TOTAL BAKING CAPACITY

Pizza diameter 300 mm	27
Pizza diameter 450 mm	12
Tray (450x450) mm	12

### SHIPPING INFORMATION

Packed in wooden crate	
Height	1800 mm
Depth	1851 mm
Width	1520 mm
Weight	(693+10) kg

When combined with leavening compartment or support:	
Max height	2750 mm
Max weight	(803+10) kg

### SHIPPING INFORMATION

Standard feeding	
A.C. V 400 3N	
Feeding on request	
A.C. V230 3	
Frequency	50/60 Hz
Max power	28.8 kW
*Medium consum/hour	14.4 kWh
Connecting cable	
tipo H07RN-F	
5x4 mm <sup>2</sup> (V400)	
4x6 mm <sup>2</sup> (V230 3)	
Prover feeding	
A.C.V 230 1 N 50/60 Hz	
Max power	1.5 kW
*Medium consum/hour	0.8 kWh

\*This value is subject to variation according to the way in which the equipment is used

- NOTE: Moretti Forni Spa reserves the right to modify the characteristics of the products illustrated in this publication without prior notice